



# TANKS


# STEEL HYDRAULIC TANK

Steel tank with angle bracket (1-1/2" x 8") punched slotted holes. Includes a 40 micron filler breather cap with stainless strainer basket.




## FEATURES

|                                     |
|-------------------------------------|
| Suction port, 1-1/4" NPT            |
| Return port, 1-1/4" NPT             |
| Rear port                           |
| Magnetic plug, 3/4" NPT             |
| Oil level and temperature gauge, 5" |
| Access door                         |
| Powder coated black                 |
| Filler breather cap with basket     |




## AVAILABLE SIZES


**Item # 1558**  
10 gallons



**Item # 1563**  
22 gallons



**Item # 1566**  
28 gallons



# NARROW SIDE MOUNT STEEL HYDRAULIC TANK

## NARROW MODEL

28-gallon side mount hydraulic tank. Including a 40 micron filler breather cap with strainer basket. Direct mount return filter capability. Comes with steel frame "J" shape brackets, rubber cushions, stainless steel straps with rubber protectors.

### FEATURES

|                                     |
|-------------------------------------|
| Suction port, 1-1/2" NPT            |
| Return port, 1-1/2" NPT             |
| Rear ports                          |
| Oil level and temperature gauge, 5" |
| Filter mount ready                  |
| Powder coated black                 |
| Filler breather cap with basket     |



### ▼ DIMENSIONS OF 28-GALLON TANK

**Item # 6517**  
28 gallons

Length: 25"  
Height: 22"  
Width: 14"

**Mounting kit included**, see page 6 for details.



# ROUND ALUMINUM TANK

**Note:** All our tanks have 1-1/2" NPT return ports on both sides and 1-1/4" NPT on the rear.

**Cylindrical aluminum tank with rounded ends, shiny finish. Including a 40 micron filler breather cap with strainer basket. Comes with steel frame "J" shape brackets, rubber cushions, stainless steel straps with rubber protectors.**



## FEATURES

- Rear suction port, 2" NPT
- Rear return port, 1-1/4" NPT
- Additional port on each side, 1-1/2" NPT
- 5 mm steel brackets, Quality DC01 ST 37 6 mm
- Heavy duty chrome plated stainless steel straps
- 5" oil level gauge

## ▼ AVAILABLE SIZES

**Mounting kit included, see page 6 for details.**

| OIL VOLUME CAPACITY<br>US GAL (L) | DIAMETER | LENGTH | ITEM #      |
|-----------------------------------|----------|--------|-------------|
| 25 (95)                           | 22"      | 16"    | <b>6495</b> |
| 30 (114)                          | 25"      | 15"    | <b>6485</b> |
| 35 (133)                          | 25"      | 17"    | <b>6486</b> |
| 40 (152)                          | 25"      | 20"    | <b>6487</b> |
| 50 (190)                          | 25"      | 25"    | <b>6488</b> |
| 60 (228)                          | 25"      | 30"    | <b>6520</b> |
| 70 (265)                          | 25"      | 34"    | <b>6814</b> |
| 80 (304)                          | 25"      | 40"    | <b>6519</b> |
| 100 (380)                         | 25"      | 50"    | <b>6518</b> |



# RECTANGULAR ALUMINUM REAR CAB TANK

**60, 80 OR 100 GALLONS**

This lightweight tank is made of high quality aluminum. The top part has a protection plate with a checker plated finish. This tank is normally mounted behind the cab, which makes it a practical and aesthetic addition to your truck. The tank is fully baffled to keep oil cool and prevent turbulence between the return and inlet.

A 40 micron filler breather cap with basket included. Comes with an mounting kit that includes two chrome plated stainless steel assembly straps with rubber protectors.

**Uses:** Dump trucks, hydraulic trucks and trailers, and many more.



**Mounting kit included,** see page 7 for details.

## FEATURES

|   |
|---|
| Suction port, 2" NPT                            |
| Return port, 1-1/2" NPT                         |
| Heavy duty mounting brackets                    |
| Heavy duty chrome plated stainless steel straps |
| 5" oil level gauge on each side                 |



## ▼ AVAILABLE SIZES

| OIL VOLUME CAPACITY US GAL (L) | LENGTH | HEIGHT | WIDTH | ITEM #      | FEATURE                                |
|--------------------------------|--------|--------|-------|-------------|--|
| 60 (228)                       | 42"    | 26"    | 13"   | <b>6489</b> | Checker plate                          |
| 80 (304)                       | 56"    | 26"    | 13"   | <b>6490</b> | Checker plate                          |
| 100 (380)                      | 72"    | 26"    | 13"   | <b>6491</b> | Checker plate                          |
| 100 (380)                      | 46"    | 32"    | 16"   | <b>6554</b> | Checker plate                          |
| 100 (380)                      | 46"    | 32"    | 16"   | <b>6649</b> | Without checker plate                  |
| 100 (380)                      | 46"    | 32"    | 16"   | <b>6875</b> | Without checker plate, versatile mount |





We can **custom manufacture** to your needs.

# MOUNTING KIT




| TANK # | MOUNTING KIT # | OLD #  | BOLT KIT | STRAP KIT | CUSHION KIT | IMAGE # |
|--------|----------------|--------|----------|-----------|-------------|---------|
| 6495   | 6630           | 901569 | 6997     | 6998      | 6802        | 1       |
| 6485   | 6625           | 901435 |          |           |             |         |
| 6486   | 6625           | 901435 |          |           |             |         |
| 6487   | 6625           | 901435 |          |           |             |         |
| 6488   | 6625           | 901435 |          |           |             |         |
| 6520   | 6625           | 901435 |          |           |             |         |
| 6814   | 6625           | —      |          |           |             |         |
| 6519   | 6625           | 901435 |          |           |             |         |
| 6518   | 6625           | 901435 |          |           |             |         |
| 6517   | 6609           | 900568 |          | 6801      |             | 6803    |



| TANK # | MOUNTING KIT # | OLD #  | BOLT KIT | STRAP KIT | CUSHION KIT | IMAGE #  |
|--------|----------------|--------|----------|-----------|-------------|----------|
| 6489   | 6627           | 900834 | 6804     | 6805      | 6807        | <b>3</b> |
| 6490   | 6627           | 900834 |          |           |             |          |
| 6491   | 6994           | 901328 |          |           |             |          |
| 6554   | 6643           | 901090 |          | 6806      | 6808        | <b>4</b> |
| 6649   | 6643           | 901090 |          |           |             |          |
| 6875   | 6643           | 901090 |          |           |             |          |

## BALL VALVE

- ▶ 3 piece construction
- ▶ 304 stainless steel
- ▶ Operating pressure: 1,000 PSI



### MAIN DIMENSIONS

| ITEM #  | SIZE (A)   | DN | B  | C   | D  | E   |
|---------|------------|----|----|-----|----|-----|
| BV-1    | 1" NPT     | 25 | 25 | 75  | 67 | 123 |
| BV-1.25 | 1-1/4" NPT | 32 | 32 | 83  | 76 | 142 |
| BV-1.5  | 1-1/2" NPT | 40 | 38 | 93  | 82 | 150 |
| BV-2    | 2" NPT     | 50 | 49 | 107 | 90 | 156 |



## **WARRANTY** **FOR ALUMINUM OR STEEL TANKS**

**Master Sourcing Inc.** warranties its cylinders against defects in design, material and workmanship for a **period of one year, from date of invoice. With documented proof, the warranty can be extended to one year from the date of installation up to a maximum of 18 months from the date of invoice.**

Master Sourcing will repair or replace at no charge the product, which, after **inspection is deemed a manufacturing defect.**

**ATTENTION:** This warranty does not apply to any tank that has been subject to unauthorized modification, repair or alteration; an accident, improper operation or maintenance; abnormal conditions; or the wear from normal use.

Master Sourcing Inc. shall not be liable for loss of time, manufacturing cost, labour, transport, material, loss of profits, consequential damages, direct or indirect, because of defective products.

**PROCEDURE:** A return merchandise authorization must be requested by contacting us at **1 877 391-1133**. All product must be returned to Master Sourcing Inc. or its authorized representative using prepaid ground transportation. If Master Sourcing Inc. determines that the defect is covered by its warranty, the repair or replacement as well as the transport costs can be assumed by Master Sourcing Inc. The repair or replacement tank will receive the balance of the original warranty period.



2999 Corbusier  
Laval, QC, Canada H7L 3M3  
[www.mastersourcing.com](http://www.mastersourcing.com)  
1 877 391-1133